

Message

From: Armstrong, Joan [Armstrong.Joan@epa.gov]
Sent: 7/1/2021 2:06:40 PM
To: Rogers, Rick [rogers.rick@epa.gov]; Henry, JeannaR [Henry.Jeannar@epa.gov]; Melvin, Karen [Melvin.Karen@epa.gov]
Subject: FW: DIANA/PAUL - HOT ISSUE - Lead - Clarksburg, WV
Attachments: Clarksburg_WV_lead_drinking_water.docx

Importance: High

FYI

Joan Armstrong, Deputy Director
Enforcement & Compliance Assurance Division (3ED00)
U.S. EPA – Region 3
1650 Arch Street
Philadelphia, PA 19103
215-814-3155
armstrong.joan@epa.gov

From: Rodrigues, Cecil <rodrigues.cecil@epa.gov>
Sent: Thursday, July 01, 2021 10:03 AM
To: Mastro, Donna <Mastro.Donna@epa.gov>; Gardner, Allison <Gardner.Allison@epa.gov>; Rivera, Nina <Rivera.Nina@epa.gov>; Libertz, Catherine <Libertz.Catherine@epa.gov>; Armstrong, Joan <Armstrong.Joan@epa.gov>
Subject: FW: DIANA/PAUL - HOT ISSUE - Lead - Clarksburg, WV
Importance: High

Cathy and Joan please keep us in the loop on this issue we are here to support you. If there is a briefing with Diana please include us. In addition, please let us know when you notify HQ. I will need to inform OGC and OECA.

Thanks. Cecil.
Cecil Rodrigues (he/his/him)
Regional Counsel (3RC00)
EPA Region III
1650 Arch Street
Philadelphia, PA 19103
215.814.2683
cell: 215.266.2960
rodrigues.cecil@epa.gov

From: Libertz, Catherine <Libertz.Catherine@epa.gov>
Sent: Thursday, July 01, 2021 9:31 AM
To: Esher, Diana <Esher.Diana@epa.gov>; Leonard, Paul <leonard.paul@epa.gov>
Cc: Melvin, Karen <Melvin.Karen@epa.gov>; Rodrigues, Cecil <rodrigues.cecil@epa.gov>; Aunkst, Dana <aunkst.dana@epa.gov>; Armstrong, Joan <Armstrong.Joan@epa.gov>; Gillespie-Marthaler, Leslie

<GillespieMarthaler.Leslie@epa.gov>; Crumlish, Karen <Crumlish.Karen@epa.gov>; Nitsch, Chad

<Nitsch.Chad@epa.gov>; Ferrell, Mark <Ferrell.Mark@epa.gov>

Subject: DIANA/PAUL - HOT ISSUE - Lead - Clarksburg, WV

Importance: High

Hi, folks,

Yesterday we (ECAD and WD) learned about the potential lead in drinking water issue in Clarksburg, WV.

Both WV DHHR and we are learning more information by the minute and will keep you updated. It is a

Ex. 5 Deliberative Process (DP)

coordination with WD. I will be calling Walt Ivey this morning to discuss separately and then join Rick Rogers, Karrie Crumlish, Walt Ivey and others from EPA and WVDHHR to get the latest and discuss the game plan for moving forward. We will make sure our counterparts in HQ are aware of what is unfolding (may wait until after we learn more at 2PM).

Ex. 5 Deliberative Process (DP)

Cathy

Catherine A. Libertz, Director

Water Division

USEPA Region III

1650 Arch Street 3WD00

Philadelphia, PA 19103

215-814-2737